MORE THAN 150 YEARS OF EXPERIENCE OF HANDLING WITH HOOKS

Manual product catalog

Manual winches and hoists

VERLINDE
LIFTING EQUIPMENT

www.verlinde.com

Réf : 11 2011 335 UGB

PLV®

Manual Lever Hoist for loads from **250 to 3,000 kg**

The PLV manual lever hoist is a compact unit for lifting, pulling and sliding. Especially suitable for industrial use. Easy to handle, this convenient unit can is ready for all sorts of jobs anywhere at the production or building. Great for tight spots where headroom is limited.

Technical characteristics

- Four good-looking, robust, compact lightweight, easy handling models.
- PLV can be used in any position; simply switch the lever to make the PLV easier to handle.
- Made with special steels, PLV lever hoists are very compact.
- The lever hoist – a new concept combining good looks with reliability.
- Chrome-plated steel hoist and lever.
- Reinforced casing effectively protects mechanisms.
- Lever rotates 360°.
- Rubber grip.
- Weston-type load brake with four braking surfaces.
- Braking mechanism fully protected against dust and splashing.
- Extra-safe, lightweight and low-maintenance.
- Chain can be declutched when winch is not loaded.
- High-strength grade 80 steel alloy chain. Galvanized for corrosion resistance.
- Complies with EN 818, safety factor 4.
- Made in Europe.
- Delivered with CE certificate, and hook and chain certificate.
- Treated steel alloy upper and lower ISO turning hooks with safety latches and inspection points.





Capacity	A	B	C	D	E	F	G	Ø	Lifting height (m)	Num. of falls	Chain diam. (mm)	Weight (kg)
250 kg	92	71	70	168	20	50	245	31	1	1	4	2,1
750 kg	149	89	128	308	26	85	310	37	1	1	6	6,2
1,500 kg	171	102	145	408	36	130	385	45	1,5	1	7	9,5
3,000 kg	204	114	203	418	44	150	460	55	1,5	1	10	20,2

› Treated steel alloy upper and lower ISO turning hooks with safety latches and inspection points.

› Chain can be declutched when winch is not loaded.

› Lever can rotate 360°. Rubber grip.

Load Capacity



VERLINDE is :

- The leading French manufacturer and exporter of lifting and handling equipment.
- A comprehensive range of 30 groups of lifting equipment from 60 to 250,000 kg.
- ISO 9001 Quality control certified.

Our references

Metallurgical, Mechanical, Nuclear industries	ArcelorMittal - Unimetal - Stein - NFM - Framatome - Alstom
Chemical and Petrochemical industries	Sanofi Aventis - Du Pont De Nemours - Total
Aeronautics industry	Aérospatiale - Airbus - Eurocopter - Air France - Aéroport de Paris - Snecma - Dassault Aviation
Agri-food industry	Nestlé - Danone - Bel
Automobile industry	Renault - Peugeot - Citroën - Scania - Ford - RVI - Volkswagen - Michelin - Massey Fergusson - Manitou - Toyota Industrial Equipment
Other sectors	EDF - SNCF - RATP - Spie - Degremont - Eiffage - Polysius - Baudin Chateauneuf

In France :

A sales network and after sales service points, EUROPONT travelling crane construction plants and a distributor network.

Rest of world :

A customer service in more than 55 countries.

Cover : VHR non standard specially made for use in extrem cold condition.
Photo credit : VERLINDE.

VERLINDE
LIFTING EQUIPMENT

2, boulevard de l'Industrie - B.P. 20059 - 28509 Vernouillet cedex - France
Phone : **(33) 02 37 38 95 95** - Fax : **(33) 02 37 38 95 99**
Internet : **www.verlinde.com**